10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

FOXP2 Antibody

Purified Mouse Monoclonal Antibody
Catalog # AO2198a

Product Information

Application	WB, FC, E
Primary Accession	O15409
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Clone Names	2G11B8
Isotype	IgG1
Calculated MW	79919
Description	This gene encodes a member of the forkhead/winged-helix (FOX) family of transcription factors. It is expressed in fetal and adult brain as well as in several other organs such as the lung and gut. The protein product contains a FOX DNA-binding domain and a large polyglutamine tract and is an evolutionarily conserved transcription factor, which may bind directly to approximately 300 to 400 gene promoters in the human genome to regulate the expression of a variety of genes. This gene is required for proper development of speech and language regions of the brain during embryogenesis, and may be involved in a variety of biological pathways and cascades that may ultimately influence language development. Mutations in this gene cause speech-language disorder 1 (SPCH1), also known as autosomal dominant speech and language disorder with orofacial dyspraxia. Multiple alternative transcripts encoding different isoforms have been identified in this gene.
Immunogen	Purified recombinant fragment of human FOXP2 (AA: 641-740) expressed in E. Coli.
Formulation	Purified antibody in PBS with 0.05% sodium azide

Additional Information

Gene ID	93986
Other Names	Forkhead box protein P2, CAG repeat protein 44, Trinucleotide repeat-containing gene 10 protein, FOXP2, CAGH44, TNRC10
Dilution	WB~~1/500 - 1/2000 FC~~1/200 - 1/400 E~~1/10000
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	FOXP2 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	FOXP2
Synonyms	CAGH44, TNRC10
Function	Transcriptional repressor that may play a role in the specification and differentiation of lung epithelium. May also play a role in developing neural, gastrointestinal and cardiovascular tissues. Can act with CTBP1 to synergistically repress transcription but CTPBP1 is not essential. Plays a role in synapse formation by regulating SRPX2 levels. Involved in neural mechanisms mediating the development of speech and language.
Cellular Location	Nucleus.
Tissue Location	Isoform 1 and isoform 6 are expressed in adult and fetal brain, caudate nucleus and lung.

References

1.J Clin Pathol. 2013 Jul;66(7):563-8. 2.World J Biol Psychiatry. 2013 Mar;14(2):146-50.

Images

