10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999



GUCY1A3 Antibody

Purified Mouse Monoclonal Antibody Catalog # AO2287a

Product Information

Application WB, IHC, FC, ICC, E

Primary Accession

Reactivity

Human

Host

Clonality

Monoclonal

Clone Names

Isotype

IgG1

Calculated MW

Outline

Goddine

True

Description Soluble guanylate cyclases are heterodimeric proteins that catalyze the

conversion of GTP to 3',5'-cyclic GMP and pyrophosphate. The protein encoded by this gene is an alpha subunit of this complex and it interacts with a beta subunit to form the guanylate cyclase enzyme, which is activated by nitric oxide. Several transcript variants encoding a few different isoforms have

been found for this gene.

Immunogen Purified recombinant fragment of human GUCY1A3 (AA: 22-214) expressed in

E. Coli.

Formulation Purified antibody in PBS with 0.05% sodium azide

Additional Information

Gene ID 2982

Other Names Guanylate cyclase soluble subunit alpha-3, GCS-alpha-3, 4.6.1.2, GCS-alpha-1,

Soluble guanylate cyclase large subunit, GUCY1A3, GUC1A3, GUCSA3,

GUCY1A1

Dilution WB~~1/500 - 1/2000 IHC~~1/200 - 1/1000 FC~~1/200 - 1/400 ICC~~N/A

E~~1/10000

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions GUCY1A3 Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

Protein Information

Name GUCY1A1 (HGNC:4685)

Cellular Location

Cytoplasm.

Tissue Location

Detected in brain cortex and lung (at protein level).

References

1.Mol Endocrinol. 2012 Feb;26(2):292-307. 2.J Biol Inorg Chem. 2011 Dec;16(8):1227-39.

Images




Figure 2: Western blot analysis using GUCY1A3 mAb against HEK293 (1) and GUCY1A3 (AA: 22-214)-hIgGFc transfected HEK293 (2) cell lysate.




Figure 3: Western blot analysis using GUCY1A3 mouse mAb against HEK293 (1) and Raji (2) cell lysate.




Figure 4: Immunofluorescence analysis of HepG2 cells using GUCY1A3 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye.

Figure 5: Flow cytometric analysis of HEK293 cells using GUCY1A3 mouse mAb (green) and negative control (purple).




Figure 6: Immunohistochemical analysis of paraffin-embedded renal cancer tissues using GUCY1A3 mouse mAb with DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.