

Mouse Monoclonal Antibody to PLD2

Purified Mouse Monoclonal Antibody

Catalog # AO2360a

Product Information

Application	WB, FC, E
Primary Accession	O14939
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Clone Names	8G1G2
Isotype	Mouse IgG1
Calculated MW	105987
Description	The protein encoded by this gene catalyzes the hydrolysis of phosphatidylcholine to phosphatidic acid and choline. The activity of the encoded enzyme is enhanced by phosphatidylinositol 4,5-bisphosphate and ADP-ribosylation factor-1. This protein localizes to the peripheral membrane and may be involved in cytoskeletal organization, cell cycle control, transcriptional regulation, and/or regulated secretion. Two transcript variants encoding different isoforms have been found for this gene.;
Immunogen	Purified recombinant fragment of human PLD2 (AA: 834-933) expressed in E. Coli.
Formulation	Purified antibody in PBS with 0.05% sodium azide
Application Note	ELISA: 1/10000; WB: 1/500 - 1/2000; FCM: 1/200 - 1/400

Additional Information

Gene ID	5338
Other Names	Phospholipase D2, PLD 2, hPLD2, 3.1.4.4, Choline phosphatase 2, PLD1C, Phosphatidylcholine-hydrolyzing phospholipase D2, PLD2 (HGNC:9068)
Dilution	WB~~1:1000 FC~~1:10~50 E~~N/A
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	Mouse Monoclonal Antibody to PLD2 is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	PLD2 (HGNC:9068)
Function	Function as phospholipase selective for phosphatidylcholine (PubMed: 9582313). May have a role in signal-induced cytoskeletal regulation and/or endocytosis (By similarity).
Cellular Location	Cell membrane {ECO:0000250 UniProtKB:P97813}; Lipid-anchor {ECO:0000250 UniProtKB:P97813}
Tissue Location	Ubiquitous..


References

1.Exp Mol Med. 2014 Dec 5;46:e124. ; 2.FEBS Lett. 2014 Aug 25;588(17):3251-8.;


Images



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Western blot analysis using PLD2 mAb against human PLD2 (AA: 834-933) recombinant protein. (Expected MW is 37.4 kDa)



Western blot analysis using PLD2 mAb against HEK293 (1) and PLD2 (AA: 834-933)-hIgGfC transfected HEK293 (2) cell lysate.

Flow cytometric analysis of Hela cells using PLD2 mouse mAb (green) and negative control (red).



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.