

BCL11B

Purified Mouse Monoclonal Antibody Catalog # AO2548a

Product Information

Application WB, IHC, ICC, E

Primary Accession

Reactivity

Host

Clonality

Clone Names

Isotype

Mouse IgG1

Calculated MW

OgcoK0

Human

Mouse

Mouse

Mouse

Monoclonal

1F8G8

Mouse IgG1

95519

Immunogen Purified recombinant fragment of human BCL11B (AA: 1-150) expressed in E.

Coli.

Formulation Purified antibody in PBS with 0.05% sodium azide

Additional Information

Gene ID 64919

Other Names ATL1; RIT1; CTIP2; IMD49; CTIP-2; ZNF856B; ATL1-beta; ATL1-alpha;

ATL1-delta; ATL1-gamma; hRIT1-alpha

Dilution WB~~ 1/500 - 1/2000 IHC~~1:100~500 ICC~~ 1/50 - 1/250 E~~ 1/10000

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

PrecautionsBCL11B is for research use only and not for use in diagnostic or therapeutic

procedures.

Protein Information

Name BCL11B

Synonyms CTIP2, RIT1

Function Key regulator of both differentiation and survival of T- lymphocytes during

thymocyte development in mammals. Essential in controlling the responsiveness of hematopoietic stem cells to chemotactic signals by modulating the expression of the receptors CCR7 and CCR9, which direct the

movement of progenitor cells from the bone marrow to the thymus (PubMed: <u>27959755</u>). Is a regulator of IL2 promoter and enhances IL2

expression in activated CD4(+) T-lymphocytes (PubMed: 16809611). Tumor-suppressor that represses transcription through direct, TFCOUP2-independent binding to a GC-rich response element (By similarity). May also function in the P53-signaling pathway (By similarity).

Cellular Location

Nucleus.

Tissue Location

Highly expressed in brain and in malignant T-cell lines derived from patients with adult T-cell leukemia/lymphoma

References

1.J Immunol. 2014 Sep 1;193(5):2059-65. 2.PLoS One. 2013;8(1):e55147.

Images




Figure 1:Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Figure 2:Western blot analysis using BCL11B mAb against human BCL11B (AA: 1-150) recombinant protein. (Expected MW is 42.3 kDa)





Figure 3:Western blot analysis using BCL11B mAb against HEK293 (1) and BCL11B (AA: 1-150)-hIgGFc transfected HEK293 (2) cell lysate.

Figure 5:Flow cytometric analysis of Hela cells using BCL11B mouse mAb (green) and negative control (red).






Figure 6:Flow cytometric analysis of Jurkat cells using BCL11B mouse mAb (green) and negative control (red).




Figure 4:Immunofluorescence analysis of Hela cells using BCL11B mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin. Secondary antibody from Fisher (Cat#: 35503)




Figure 7:Immunohistochemical analysis of paraffin-embedded colon cancer tissues using BCL11B mouse mAb with DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.