

GRM7

Purified Mouse Monoclonal Antibody Catalog # AO2569a

Product Information

Application WB, IHC, ICC, E

Primary Accession

Reactivity

Host

Clonality

Clone Names

Isotype

Calculated MW

Muse

Q14831

Human

Mouse

Mouse

Monoclonal

7G8A2

Mouse IgG1

102251

Immunogen Purified recombinant fragment of human GRM7 (AA: 454-590) expressed in E.

Coli.

Formulation Purified antibody in PBS with 0.05% sodium azide

Additional Information

Gene ID 2917

Other Names GLUR7; MGLU7; GPRC1G; MGLUR7; PPP1R87

Dilution WB~~ 1/500 - 1/2000 IHC~~1:100~500 ICC~~N/A E~~ 1/10000

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions GRM7 is for research use only and not for use in diagnostic or therapeutic

procedures.

Protein Information

Name GRM7

Synonyms GPRC1G, MGLUR7

Function G-protein coupled receptor activated by glutamate that regulates axon

outgrowth through the MAPK-cAMP-PKA signaling pathway during neuronal development (PubMed:33500274). Ligand binding causes a conformation change that triggers signaling via guanine nucleotide- binding proteins (G proteins) and modulates the activity of downstream effectors, such as

adenylate cyclase that it inhibits (PubMed: 9473604).

Cellular Location

Cell membrane; Multi-pass membrane protein

Tissue Location

Expressed in many areas of the brain, especially in the cerebral cortex, hippocampus, and cerebellum. Expression of GRM7 isoforms in non-neuronal tissues appears to be restricted to isoform 3 and isoform 4.

References

1.Psychiatr Genet. 2014 Dec;24(6):281-2.2.Life Sci. 2013 Feb 7;92(2):149-53.

Images




Figure 1:Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Figure 2:Western blot analysis using GRM7 mAb against human GRM7 (AA: 454-590) recombinant protein. (Expected MW is 41.7 kDa)





Figure 3:Western blot analysis using GRM7 mAb against HEK293 (1) and GRM7 (AA: 454-590)-hIgGFc transfected HEK293 (2) cell lysate.

Figure 4:Flow cytometric analysis of SH-SY5Y cells using GRM7 mouse mAb (green) and negative control (red).



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.