10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

GRM5

Purified Mouse Monoclonal Antibody
Catalog # AO2589a

Product Information

Application	WB, IHC, ICC, E
Primary Accession	P41594
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Clone Names	8H5D5
Isotype	Mouse IgG1
Calculated MW	132469
Immunogen	Purified recombinant fragment of human GRM5 (AA: extra 458-580) expressed in E. Coli.
Formulation	Purified antibody in PBS with 0.05% sodium azide

Additional Information

Gene ID	2915
Other Names	mGlu5; GPRC1E; MGLUR5; PPP1R86
Dilution	WB~~ 1/500 - 1/2000 IHC~~1:100~500 ICC~~N/A E~~ 1/10000
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	GRM5 is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	GRM5
Synonyms	GPRC1E, MGLUR5
Function	G protein-coupled receptor for glutamate. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling activates a phosphatidylinositol- calcium second messenger system and generates a calcium-activated chloride current. Plays an important role in the regulation of synaptic plasticity and the modulation of the neural network activity.

Cellular Location	Cell membrane; Multi-pass membrane protein

References

1.Curr Alzheimer Res. 2014;11(7):694-705.2.Int J Neuropsychopharmacol. 2014 Dec;17(12):1915-22.

Images




Figure 1:Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Figure 2:Western blot analysis using GRM5 mAb against human GRM5 (AA: extra 458-580) recombinant protein. (Expected MW is 40.1 kDa)




Figure 3:Western blot analysis using GRM5 mAb against HEK293 (1) and GRM5 (AA: extra 458-580)-hIgGFc transfected HEK293 (2) cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.