

CD112

Purified Mouse Monoclonal Antibody Catalog # AO2693a

# **Product Information**

Application Primary Accession Reactivity Host Clonality Clone Names Isotype Calculated MW Immunogen	WB, IHC, ICC, E <u>Q92692</u> Human Mouse Monoclonal 4A11B12 Mouse IgG1 57742 Purified recombinant fragment of human CD112 (AA: extra 58-212) expressed
Immunogen Formulation	Purified recombinant fragment of human CD112 (AA: extra 58-212) expressed in E. Coli. Purified antibody in PBS with 0.05% sodium azide

## **Additional Information**

Gene ID	5819
Other Names	NECTIN2; HVEB; PRR2; PVRL2; PVRR2
Dilution	WB~~ 1/500 - 1/2000 IHC~~1:100~500 ICC~~N/A E~~ 1/10000
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	CD112 is for research use only and not for use in diagnostic or therapeutic procedures.

### **Protein Information**

Name	NECTIN2 ( <u>HGNC:9707</u> )
Synonyms	HVEB, PRR2, PVRL2
Function	Modulator of T-cell signaling. Can be either a costimulator of T-cell function, or a coinhibitor, depending on the receptor it binds to. Upon binding to CD226, stimulates T-cell proliferation and cytokine production, including that of IL2, IL5, IL10, IL13, and IFNG. Upon interaction with PVRIG, inhibits T-cell proliferation. These interactions are competitive (PubMed: <u>26755705</u> ). Probable cell adhesion protein (PubMed: <u>9657005</u> ).

**Tissue Location** 

Ubiquitous.

#### References

1.Mol Cancer. 2013 Jun 12;12:60.2.Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi. 2010 May;26(5):477-9.

#### Images



Figure 4:Flow cytometric analysis of Ramos cells using CD112 mouse mAb (green) and negative control (red).



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.