

# CD114

Purified Mouse Monoclonal Antibody  
Catalog # AO2717a

## Product Information

---

<b>Application</b>	WB, IHC, ICC, E
<b>Primary Accession</b>	<a href="#">Q99062</a>
<b>Reactivity</b>	Human
<b>Host</b>	Mouse
<b>Clonality</b>	Monoclonal
<b>Clone Names</b>	3G10G2
<b>Isotype</b>	Mouse IgG1
<b>Calculated MW</b>	92156
<b>Immunogen</b>	Purified recombinant fragment of human CD114 (AA: extra 25-187) expressed in E. Coli.
<b>Formulation</b>	Purified antibody in PBS with 0.05% sodium azide

## Additional Information

---

<b>Gene ID</b>	1441
<b>Other Names</b>	CSF3R; SCN7; GCSFR
<b>Dilution</b>	WB~~ 1/500 - 1/2000 IHC~~1:100~500 ICC~~N/A E~~ 1/10000
<b>Storage</b>	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
<b>Precautions</b>	CD114 is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---

<b>Name</b>	CSF3R
<b>Synonyms</b>	GCSFR
<b>Function</b>	Receptor for granulocyte colony-stimulating factor (CSF3), essential for granulocytic maturation. Plays a crucial role in the proliferation, differentiation and survival of cells along the neutrophilic lineage. In addition it may function in some adhesion or recognition events at the cell surface.
<b>Cellular Location</b>	[Isoform 2]: Secreted.

Tissue Location

One or several isoforms have been found in myelogenous leukemia cell line KG-1, leukemia U-937 cell line, in bone marrow cells, placenta, and peripheral blood granulocytes. Isoform GCSFR-2 is found only in leukemia U-937 cells. Isoform GCSFR-3 is highly expressed in placenta

References

1.Clin Cancer Res. 2016 Feb 1;22(3):757-64.2.World J Gastroenterol. 2014 Jan 28;20(4):1074-8.

Images




Figure 1:Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Figure 2:Western blot analysis using CD114 mAb against human CD114 (AA: extra 25-187) recombinant protein. (Expected MW is 46.5 kDa)





Figure 3:Western blot analysis using CD114 mAb against HEK293 (1) and CD114 (AA: extra 25-187)-hIgGfc transfected HEK293 (2) cell lysate.

Figure 4:Flow cytometric analysis of K562 cells using CD114 mouse mAb (green) and negative control (red).



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.