

CD102

Purified Mouse Monoclonal Antibody Catalog # AO2720a

Product Information

Application WB, IHC, ICC, E

Primary Accession
Reactivity
Host
Clonality
Clone Names
Isotype
Mouse IgG1
Calculated MW
Meactivity
Human
Mouse
Monoclonal
6B9G10
Mouse IgG1
30654

Immunogen Purified recombinant fragment of human CD102 (AA: extra 25-223) expressed

in E. Coli.

Formulation Purified antibody in PBS with 0.05% sodium azide

Additional Information

Gene ID 3384

Other Names ICAM2

Dilution WB~~ 1/500 - 1/2000 IHC~~1:100~500 ICC~~N/A E~~ 1/10000

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions CD102 is for research use only and not for use in diagnostic or therapeutic

procedures.

Protein Information

Name ICAM2

Function ICAM proteins are ligands for the leukocyte adhesion protein LFA-1 (integrin

alpha-L/beta-2). ICAM2 may play a role in lymphocyte recirculation by blocking LFA-1-dependent cell adhesion. It mediates adhesive interactions important for antigen-specific immune response, NK-cell mediated clearance, lymphocyte recirculation, and other cellular interactions important for

immune response and surveillance.

Cellular Location Membrane; Single-pass type I membrane protein. Cell projection, microvillus

{ECO:0000250 | UniProtKB:P35330}. Note=Co-localizes with RDX, EZR and MSN

References

1.Curr Opin Hematol. 2015 Jan;22(1):53-9. 2.BMC Cancer. 2013 May 28;13:261.

Images




Figure 1:Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Figure 3:Western blot analysis using CD102 mAb against human CD102 (AA: extra 25-223) recombinant protein. (Expected MW is 48 kDa)





Figure 4:Western blot analysis using CD102 mAb against HEK293 (1) and CD102 (AA: extra 25-223)-hIgGFc transfected HEK293 (2) cell lysate.

Figure 2:Flow cytometric analysis of Ramos cells using CD102 mouse mAb (green) and negative control (red).



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.