

# HNRNPC Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP10728b

## **Product Information**

**Application** IHC-P, WB, E **Primary Accession** P07910

Other Accession 077768, 09Z204, NP 004491.2

**Reactivity** Human, Rat, Mouse **Predicted** Mouse, Rabbit

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Clone Names RB24645
Calculated MW 33670
Antigen Region 279-306

## **Additional Information**

**Gene ID** 3183

Other Names Heterogeneous nuclear ribonucleoproteins C1/C2, hnRNP C1/C2, HNRNPC,

**HNRPC** 

Target/Specificity This HNRNPC antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 279-306 amino acids from the

C-terminal region of human HNRNPC.

**Dilution** IHC-P~~1:100~500 WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** HNRNPC Antibody (C-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

### **Protein Information**

Name HNRNPC

Synonyms HNRPC

#### **Function**

Binds pre-mRNA and nucleates the assembly of 40S hnRNP particles (PubMed:8264621). Interacts with poly-U tracts in the 3'-UTR or 5'-UTR of mRNA and modulates the stability and the level of translation of bound mRNA molecules (PubMed:12509468, PubMed:16010978, PubMed:7567451, PubMed:8264621). Single HNRNPC tetramers bind 230-240 nucleotides. Trimers of HNRNPC tetramers bind 700 nucleotides (PubMed:8264621). May play a role in the early steps of spliceosome assembly and pre-mRNA splicing. N6-methyladenosine (m6A) has been shown to alter the local structure in mRNAs and long non-coding RNAs (IncRNAs) via a mechanism named 'm(6)A-switch', facilitating binding of HNRNPC, leading to regulation of mRNA splicing (PubMed:25719671).

**Cellular Location** 

Nucleus. Note=Component of ribonucleosomes


## **Background**

This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene can act as a tetramer and is involved in the assembly of 40S hnRNP particles. Multiple transcript variants encoding at least two different isoforms have been described for this gene. [provided by RefSeq].

## References


Konig, J., et al. Nat. Struct. Mol. Biol. 17(7):909-915(2010) Lee, E.K., et al. Nat. Struct. Mol. Biol. 17(6):732-739(2010) Brunner, J.E., et al. Virology 400(2):240-247(2010) Ertel, K.J., et al. J. Virol. 84(9):4229-4242(2010) Mosessian, S., et al. J. Biol. Chem. 284(44):30159-30166(2009)

# **Images**



HNRNPC antibody (C-term) (Cat. #AP10728b) immunohistochemistry analysis in formalin fixed and paraffin embedded human bladder carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the HNRNPC antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

HNRNPC Antibody (C-term) (Cat. #AP10728b) western blot analysis in Jurkat, K562, U251 cell line lysates (35ug/lane). This demonstrates the HNRNPC antibody detected the HNRNPC protein (arrow).



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.