

# PUS3 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP10835a

#### **Product Information**

**Application** WB, IHC-P, E **Primary Accession** Q9BZE2 **Other Accession** NP 112597.3 Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB28501 Calculated MW 55647 35-64 **Antigen Region** 

#### **Additional Information**

**Gene ID** 83480

Other Names tRNA pseudouridine(38/39) synthase, tRNA pseudouridine synthase 3, tRNA

pseudouridylate synthase 3, tRNA-uridine isomerase 3, PUS3

**Target/Specificity**This PUS3 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 35-64 amino acids from the N-terminal

region of human PUS3.

**Dilution** WB~~1:1000 IHC-P~~1:100~500 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** PUS3 Antibody (N-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

#### **Protein Information**

Name PUS3

**Function** Formation of pseudouridine at position 39 in the anticodon stem and loop

of transfer RNAs.


## **Background**

Formation of pseudouridine at position 39 in the anticodon stem and loop of transfer RNAs (By similarity).


#### References

Oh, J.H., et al. Mamm. Genome 16(12):942-954(2005) Chen, J., et al. Biochemistry 39(41):12723-12730(2000)

### **Images**



PUS3 Antibody (N-term) (Cat. #AP10835a) western blot analysis in ZR-75-1 cell line lysates (35ug/lane). This demonstrates the PUS3 antibody detected the PUS3 protein (arrow).



PUS3 antibody (N-term) (Cat. #AP10835a) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the PUS3 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.