

# CASKIN2 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP10948c

## Product Information

---

<b>Application</b>	WB, IHC-P, E
<b>Primary Accession</b>	<a href="#">Q8WXE0</a>
<b>Other Accession</b>	<a href="#">NP_001136115.1</a> , <a href="#">NP_065804.2</a>
<b>Reactivity</b>	Human
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	Rabbit IgG
<b>Clone Names</b>	RB19751
<b>Calculated MW</b>	126783
<b>Antigen Region</b>	714-741

## Additional Information

---

<b>Gene ID</b>	57513
<b>Other Names</b>	Caskin-2, CASK-interacting protein 2, CASKIN2, KIAA1139
<b>Target/Specificity</b>	This CASKIN2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 714-741 amino acids from the Central region of human CASKIN2.
<b>Dilution</b>	WB~~1:1000 IHC-P~~1:100~500 E~~Use at an assay dependent concentration.
<b>Format</b>	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
<b>Storage</b>	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
<b>Precautions</b>	CASKIN2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---

<b>Name</b>	CASKIN2
<b>Synonyms</b>	KIAA1139
<b>Cellular Location</b>	Cytoplasm.


## References

---


Olsen, J.V., et al. Cell 127(3):635-648(2006)  
Tao, W.A., et al. Nat. Methods 2(8):591-598(2005)  
Rush, J., et al. Nat. Biotechnol. 23(1):94-101(2005)  
Tabuchi, K., et al. J. Neurosci. 22(11):4264-4273(2002)

## Images

---



CASKIN2 Antibody (Center) (Cat. #AP10948c) western blot analysis in MCF-7 cell line lysates (35ug/lane). This demonstrates the CASKIN2 antibody detected the CASKIN2 protein (arrow).



CASKIN2 antibody(Center) (Cat. #AP10948c) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the CASKIN2 antibody(Center) for immunohistochemistry. Clinical relevance has not been evaluated.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.