

# ASAP3 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11003a

#### **Product Information**

Application WB, IHC-P, E Primary Accession Q8TDY4

Other Accession NP 001137250.1, NP 060177.2

**Reactivity** Human, Hamster

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Clone Names RB25488
Calculated MW 99155
Antigen Region 26-54

#### **Additional Information**

**Gene ID** 55616

Other Names Arf-GAP with SH3 domain, ANK repeat and PH domain-containing protein 3,

Development and differentiation-enhancing factor-like 1, Protein up-regulated

in liver cancer 1, ASAP3, DDEFL1, UPLC1

Target/Specificity This ASAP3 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 26-54 amino acids from the N-terminal

region of human ASAP3.

**Dilution** WB~~1:1000 IHC-P~~1:100~500 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** ASAP3 Antibody (N-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

#### **Protein Information**

Name ASAP3

Synonyms DDEFL1, UPLC1

**Function** Promotes cell proliferation.

Cellular Location Cytoplasm.

**Tissue Location** Highly expressed in primary hepatocarcinoma. Detected in lung, liver and

blood leukocytes


## **Background**

This gene encodes a member of a subfamily of ADP-ribosylation factor(Arf) GTPase-activating proteins that contain additional ankyrin repeat and pleckstrin homology domains. The Arf GAP domain of this protein catalyzes the hydrolysis of GTP bound to Arf proteins. The encoded protein promotes cell differentiation and migration and has been implicated in cancer cell invasion. Alternative splicing results in multiple transcript variants.


#### References

Ismail, S.A., et al. Cell 141(5):812-821(2010) Ha, V.L., et al. J. Biol. Chem. 283(22):14915-14926(2008) Fang, Z., et al. Mol. Cell Proteomics 5(8):1437-1449(2006) Okabe, H., et al. Int. J. Oncol. 24(1):43-48(2004)

### **Images**




ASAP3 Antibody (N-term) (Cat. #AP11003a) western blot analysis in ZR-75-1 cell line lysates (35ug/lane). This demonstrates the ASAP3 antibody detected the ASAP3 protein (arrow).



ASAP3 Antibody (N-term) (Cat. #AP11003a) western blot analysis in CHO cell line lysates (35ug/lane). This demonstrates the ASAP3 antibody detected the ASAP3 protein (arrow).

ASAP3 antibody (N-term) (Cat. #AP11003a) immunohistochemistry analysis in formalin fixed and paraffin embedded human hepatocarcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ASAP3 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.