

CI150 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP11051a

Product Information

Application	WB, IHC-P, FC, E
Primary Accession	Q8IV03
Other Accession	NP_981948.1
Reactivity	Human
Predicted	Rat, Bovine, Canine, Rabbit
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB28630
Calculated MW	24412
Antigen Region	11-40

Additional Information

Gene ID	286343
Other Names	Leucine rich adaptor protein 1-like, LURAP1L, C9orf150
Target/Specificity	This CI150 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 11-40 amino acids from the N-terminal region of human CI150.
Dilution	WB~~1:1000 IHC-P~~1:100~500 FC~~1:10~50 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	CI150 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	LURAP1L
Synonyms	C9orf150


References

Yamada, S., et al. Oncogene 23(35):5901-5911(2004)
Humphray, S.J., et al. Nature 429(6990):369-374(2004)
Tomarev, S.I., et al. Invest. Ophthalmol. Vis. Sci. 44(6):2588-2596(2003)


Images



CI150 Antibody (N-term) (Cat. #AP11051a) western blot analysis in MCF-7 cell line lysates (35ug/lane). This demonstrates the CI150 antibody detected the CI150 protein (arrow).



CI150 Antibody (N-term) (Cat. #AP11051a) immunohistochemistry analysis in formalin fixed and paraffin embedded human breast tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the CI150 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



CI150 Antibody (N-term) (Cat. #AP11051a) flow cytometric analysis of MCF-7 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.