

DPPA5 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP11330a

Product Information

Application	WB, FC, E
Primary Accession	A6NC42
Other Accession	NP_001020461.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB20542
Calculated MW	13498
Antigen Region	2-31

Additional Information

Gene ID	340168
Other Names	Developmental pluripotency-associated 5 protein, hDPPA5, Embryonal stem cell-specific gene 1 protein, ESG-1, DPPA5, ESG1
Target/Specificity	This DPPA5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 2-31 amino acids from the N-terminal region of human DPPA5.
Dilution	WB~~1:1000 FC~~1:10~50 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.05% (V/V) Proclin 300. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	DPPA5 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	DPPA5
Synonyms	ESG1
Function	Involved in the maintenance of embryonic stem (ES) cell pluripotency.

Dispensable for self-renewal of pluripotent ES cells and establishment of germ cells. Associates with specific target mRNAs (By similarity).

Cellular Location

Cytoplasm.

Background


Involved in the maintenance of embryonic stem (ES) cell pluripotency. Dispensable for self-renewal of pluripotent ES cells and establishment of germ cells. Associates with specific target mRNAs (By similarity).

References

Pierre, A., et al. Genomics 90(5):583-594(2007)

Kim, S.K., et al. Stem Cells 23(4):458-462(2005)

Images



All lanes: Anti-DPPA5 Antibody (N-term) at 1:1000 dilution + MCF-7 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 17 KDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.