

DPPA5 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11330a

Product Information

Application WB, FC, E **Primary Accession** A6NC42

 Other Accession
 NP_001020461.1

Reactivity
Human
Rabbit
Clonality
Polyclonal
Isotype
Rabbit IgG
Clone Names
RB20542
Calculated MW
Antigen Region
Ruman
Rabbit
Rabbit
13498
2-31

Additional Information

Gene ID 340168

Other Names Developmental pluripotency-associated 5 protein, hDPPA5, Embryonal stem

cell-specific gene 1 protein, ESG-1, DPPA5, ESG1

Target/SpecificityThis DPPA5 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 2-31 amino acids from the N-terminal

region of human DPPA5.

Dilution WB~~1:1000 FC~~1:10~50 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.05% (V/V) Proclin 300. This

antibody is purified through a protein A column, followed by peptide affinity

purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions DPPA5 Antibody (N-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name DPPA5

Synonyms ESG1

Function Involved in the maintenance of embryonic stem (ES) cell pluripotency.

Dispensable for self-renewal of pluripotent ES cells and establishment of germ cells. Associates with specific target mRNAs (By similarity).

Cellular Location

Cytoplasm.


Background

Involved in the maintenance of embryonic stem (ES) cell pluripotency. Dispensable for self-renewal of pluripotent ES cells and establishment of germ cells. Associates with specific target mRNAs (By similarity).


References

Pierre, A., et al. Genomics 90(5):583-594(2007) Kim, S.K., et al. Stem Cells 23(4):458-462(2005)

Images



All lanes: Anti-DPPA5 Antibody (N-term) at 1:1000 dilution + MCF-7 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 17 KDa Blocking/Dilution buffer: 5% NFDM/TBST.



DPPA5 Antibody (N-term) (Cat. #AP11330a) flow cytometric analysis of HL-60 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.