

C9JLR9 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP11349b

Product Information

Application	WB, IHC-P, IF, E
Primary Accession	C9JLR9
Other Accession	Q4VA45 , NP_001138408.1
Reactivity	Human
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB29021
Calculated MW	73197
Antigen Region	556-584

Additional Information

Gene ID	65998
Other Names	Uncharacterized protein C11orf95, C11orf95
Target/Specificity	This C9JLR9 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 556-584 amino acids from the C-terminal region of human C9JLR9.
Dilution	WB~~1:1000 IHC-P~~1:100~500 IF~~1:10~50 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.05% (V/V) Proclin 300. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	C9JLR9 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	ZFTA (HGNC:28449)
Synonyms	C11orf95


References

Ota, T., et al. Nat. Genet. 36(1):40-45(2004)


Images



All lanes: Anti-C9JLR9 Antibody (C-term) at 1:2000 dilution
Lane 1: HepG2 whole cell lysate Lane 2: PC-3 whole cell lysate Lane 3: HT-29 whole cell lysate Lane 4: Rat ovary lysate Lysates/proteins at 20 µg per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 73 KDa
Blocking/Dilution buffer: 5% NFDM/TBST.



C9JLR9 Antibody (C-term) (Cat. #AP11349b) immunohistochemistry analysis in formalin fixed and paraffin embedded human adipose tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of C9JLR9 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Confocal immunofluorescent analysis of C9JLR9 Antibody (C-term)(Cat#AP11349b) with HepG2 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor 555 phalloidin (red). DAPI was used to stain the cell nuclear (blue).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.