

SERTAD4 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11379b

Product Information

Application WB, IHC-P, E **Primary Accession Q9NUC0 Other Accession** NP 062551.1 Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB29140 Calculated MW 39348 265-293 **Antigen Region**

Additional Information

Gene ID 56256

Other Names SERTA domain-containing protein 4, SERTAD4

Target/Specificity This SERTAD4 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 265-293 amino acids from the

C-terminal region of human SERTAD4.

Dilution WB~~1:1000 IHC-P~~1:100~500 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.05% (V/V) Proclin 300. This

antibody is purified through a protein A column, followed by peptide affinity

purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.


Precautions SERTAD4 Antibody (C-term) is for research use only and not for use in

diagnostic or therapeutic procedures.


Protein Information

Name SERTAD4

Images



All lanes: Anti-SERTAD4 Antibody (C-term) at 1:1000 dilution + 293 whole cell lysate Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 39KDa Blocking/Dilution buffer: 5% NFDM/TBST.



SERTAD4 Antibody (C-term) (Cat. #AP11379b)immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of SERTAD4 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.