

# ESSPL Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP11489c

## Product Information

---

<b>Application</b>	WB, FC, E
<b>Primary Accession</b>	<a href="#">Q7RTY5</a>
<b>Other Accession</b>	<a href="#">NP_899231.2</a>
<b>Reactivity</b>	Human
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	Rabbit IgG
<b>Clone Names</b>	RB29320
<b>Calculated MW</b>	35970
<b>Antigen Region</b>	85-114

## Additional Information

---

<b>Gene ID</b>	345062
<b>Other Names</b>	Serine protease 48, 3421-, Epidermis-specific serine protease-like protein, PRSS48, ESSPL
<b>Target/Specificity</b>	This ESSPL antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 85-114 amino acids from the Central region of human ESSPL.
<b>Dilution</b>	WB~~1:1000 FC~~1:10~50 E~~Use at an assay dependent concentration.
<b>Format</b>	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
<b>Storage</b>	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
<b>Precautions</b>	ESSPL Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---

<b>Name</b>	PRSS48
<b>Synonyms</b>	ESSPL
<b>Cellular Location</b>	Secreted.

## Background

---

ESSPL belongs to the peptidase S1 family, however, the specific function is not yet known. There are three different isoforms.


## References

---


Puente, X.S., et al. Nat. Rev. Genet. 4(7):544-558(2003)

## Images

---



ESSPL Antibody (Center) (Cat. #AP11489c) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the ESSPL antibody detected the ESSPL protein (arrow).



ESSPL Antibody (Center) (Cat. #AP11489c) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.