

# NUP160 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11788c

#### **Product Information**

**Application** WB, IHC-P, E **Primary Accession** Q12769

Other Accession O9Z0W3, NP 056046.1

Reactivity Mouse
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Clone Names RB20195
Calculated MW 162121
Antigen Region 428-455

## **Additional Information**

**Gene ID** 23279

Other Names Nuclear pore complex protein Nup160, 160 kDa nucleoporin, Nucleoporin

Nup160, NUP160, KIAA0197, NUP120

**Target/Specificity**This NUP160 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 428-455 amino acids from the Central

region of human NUP160.

**Dilution** WB~~1:1000 IHC-P~~1:100~500 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** NUP160 Antibody (Center) is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name NUP160

Synonyms KIAA0197, NUP120

**Function** Functions as a component of the nuclear pore complex (NPC)

**Cellular Location** 

Nucleus, nuclear pore complex


# **Background**

NUP160 is 1 of up to 60 proteins that make up the 120-MD nuclear pore complex, which mediates nucleoplasmic transport.


# References

Mishra, R.K., et al. Nat. Cell Biol. 12(2):164-169(2010)
Platani, M., et al. Mol. Biol. Cell 20(24):5260-5275(2009)
Leksa, N.C., et al. Structure 17(8):1082-1091(2009)
Zuccolo, M., et al. EMBO J. 26(7):1853-1864(2007)
Glavy, J.S., et al. Proc. Natl. Acad. Sci. U.S.A. 104(10):3811-3816(2007)

## **Images**



NUP160 Antibody (Center) (Cat. #AP11788c) western blot analysis in mouse NIH-3T3 cell line lysates (35ug/lane). This demonstrates the NUP160 antibody detected the NUP160 protein (arrow).



NUP160 Antibody (Center) (Cat. #AP11788c)immunohistochemistry analysis in formalin fixed and paraffin embedded human testis tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of NUP160 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.