

GOT1L1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP11799b

Product Information

Application	WB, IHC-P, IF, E
Primary Accession	Q8NHS2
Other Accession	NP_689626.2
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB29315
Calculated MW	47305
Antigen Region	346-375

Additional Information

Gene ID	137362
Other Names	Putative aspartate aminotransferase, cytoplasmic 2, 261-, Glutamate oxaloacetate transaminase 1-like protein 1, Transaminase A-like protein 1, GOT1L1
Target/Specificity	This GOT1L1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 346-375 amino acids from the C-terminal region of human GOT1L1.
Dilution	WB~~1:1000 IHC-P~~1:100~500 IF~~1:10~50 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	GOT1L1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	GOT1L1
Cellular Location	Cytoplasm.


References

Chern, C.J. Cytogenet. Cell Genet. 17(6):338-342(1976)


Images



GOT1L1 Antibody (C-term) (Cat. #AP11799b) western blot analysis in mouse kidney tissue lysates (35ug/lane). This demonstrates the GOT1L1 antibody detected the GOT1L1 protein (arrow).



GOT1L1 Antibody (C-term) (Cat. #AP11799b) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of GOT1L1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Confocal immunofluorescent analysis of GOT1L1 Antibody (C-term) (Cat. #AP11799b) with U-251MG cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.