10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

# ZNF835 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12506a

## Product Information

| | |
|---|---|
| **Application** | WB, E |
| **Primary Accession** | Q9Y2P0 |
| **Other Accession** | NP_001005850.1 |
| **Reactivity** | Human |
| **Host** | Rabbit |
| **Clonality** | Polyclonal |
| **Isotype** | Rabbit IgG |
| **Clone Names** | RB31159 |
| **Calculated MW** | 59631 |
| **Antigen Region** | 4-33 |

## Additional Information

| | |
|---|---|
| **Gene ID** | 90485 |
| **Other Names** | Zinc finger protein 835, ZNF835 |
| **Target/Specificity** | This ZNF835 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 4-33 amino acids from the N-terminal region of human ZNF835. |
| **Dilution** | WB~~1:1000 E~~Use at an assay dependent concentration. |
| **Format** | Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification. |
| **Storage** | Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles. |
| **Precautions** | ZNF835 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures. |

## Protein Information

| | |
|---|---|
| **Name** | ZNF835 |
| **Function** | May be involved in transcriptional regulation. |
| **Cellular Location** | Nucleus. |


## Background

ZNF835 may be involved in transcriptional regulation.

## References

Ota, T., et al. Nat. Genet. 36(1):40-45(2004)

## Images




Anti-ZNF835 Antibody (N-term) at 1:500 dilution + MCF-7 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 60 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.