

C10orf129 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP12601b

Product Information

Application IHC-P, WB, E **Primary Accession** Q6P461 Other Accession NP 997204.2 Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB32038 Calculated MW 53585 433-460 **Antigen Region**

Additional Information

Gene ID 142827

Other Names Acyl-coenzyme A synthetase ACSM6, mitochondrial, Acyl-CoA synthetase

medium-chain family member 6, ACSM6, C10orf129

Target/SpecificityThis C10orf129 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 433-460 amino acids from the

C-terminal region of human C10orf129.

Dilution IHC-P~~1:100~500 WB~~1:1000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions C10orf129 Antibody (C-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name ACSM6

Synonyms C10orf129

Function Catalyzes the activation of fatty acids by CoA to produce an acyl-CoA, the

first step in fatty acid metabolism.

Cellular Location

Mitochondrion.


Background

The exact functions of this protein remain unknown.


References

Grupe, A., et al. Am. J. Hum. Genet. 78(1):78-88(2006)

Images



C10orf129 Antibody (C-term) (Cat. #AP12601b)immunohistochemistry analysis in formalin fixed and paraffin embedded human heart tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of C10orf129 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



C10orf129 Antibody (C-term) (Cat. #AP12601b) western blot analysis in A549,HepG2 cell line lysates (35ug/lane).This demonstrates the C10orf129 antibody detected the C10orf129 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.