

ELAVL2 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP12937c

Product Information

Application	IHC-P, WB, FC, E
Primary Accession	Q12926
Other Accession	Q7SZT7 , O09032 , Q61701 , P26378 , Q91584 , Q60900 , Q14576 , Q91903 , Q8CH84 , Q60899 , NP_001164666.1 , NP_001164668.1
Reactivity	Human, Mouse
Predicted	Mouse, Rat, Xenopus, Bovine, Canine, Rabbit, Chicken
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB28546
Calculated MW	39504
Antigen Region	156-184

Additional Information

Gene ID	1993
Other Names	ELAV-like protein 2, ELAV-like neuronal protein 1, Hu-antigen B, HuB, Nervous system-specific RNA-binding protein Hel-N1, ELAVL2, HUB
Target/Specificity	This ELAVL2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 156-184 amino acids from the Central region of human ELAVL2.
Dilution	IHC-P~~1:100~500 WB~~1:1000 FC~~1:10~50 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	ELAVL2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	ELAVL2
-------------	--------

Synonyms	HUB
Function	RNA-binding protein that binds to the 3' untranslated region (3'UTR) of target mRNAs (By similarity). Seems to recognize a GAAA motif (By similarity). Can bind to its own 3'UTR, the FOS 3'UTR and the ID 3'UTR (By similarity).
Tissue Location	Brain; neural-specific.


Background

The protein encoded by this gene is a neural-specific RNA-binding protein that is known to bind to several 3' UTRs, including its own and also that of FOS and ID. The encoded protein may recognize a GAAA motif in the RNA. Three transcript variants encoding two different isoforms have been found for this gene.


References

Marroni, F., et al. Circ Cardiovasc Genet 2(4):322-328(2009)
Lowe, J.K., et al. PLoS Genet. 5 (2), E1000365 (2009) :
D'Alessandro, V., et al. Cell. Oncol. 30(4):291-297(2008)
Jonson, L., et al. Mol. Cell Proteomics 6(5):798-811(2007)
Yano, M., et al. J. Biol. Chem. 280(13):12690-12699(2005)

Images





Immunohistochemical analysis of AP12937C on paraffin-embedded Human cerebellum tissue. Tissue was fixed with formaldehyde at room temperature. Heat induced epitope retrieval was performed by EDTA buffer (pH9. 0). Samples were incubated with primary antibody(1:100) for 1 hour at room temperature. Undiluted CRF Anti-Polyvalent HRP Polymer antibody was used as the secondary antibody.



Immunohistochemical analysis of AP12937C on paraffin-embedded Human brain tissue. Tissue was fixed with formaldehyde at room temperature. Heat induced epitope retrieval was performed by EDTA buffer (pH9. 0). Samples were incubated with primary antibody(1:100) for 1 hour at room temperature. Undiluted CRF Anti-Polyvalent HRP Polymer antibody was used as the secondary antibody.

Anti-ELAVL2 Antibody (Center) at 1:2000 dilution + Mouse brain lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 40 kDa
Blocking/Dilution buffer: 5% NFDM/TBST.



ELAVL2 Antibody (Center) (Cat. #AP12937c) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.