10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

AMIGO1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13681b

Product Information

Application	WB, E
Primary Accession	Q86WK6
Other Accession	Q80ZD7, Q80ZD8, NP_065754.2
Reactivity	Human
Predicted	Mouse, Rat, Bovine, Canine, Rabbit
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB33515
Calculated MW	55239
Antigen Region	386-415

Additional Information

Gene ID	57463
Other Names	Amphoterin-induced protein 1, AMIGO-1, Alivin-2, AMIGO1 (HGNC:20824)
Target/Specificity	This AMIGO1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 386-415 amino acids from the C-terminal region of human AMIGO1.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	AMIGO1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	AMIGO1 (HGNC:20824)
Function	Promotes growth and fasciculation of neurites from cultured hippocampal neurons. May be involved in fasciculation as well as myelination of developing neural axons. May have a role in regeneration as well as neural plasticity in

	the adult nervous system. May mediate homophilic as well as heterophilic cell-cell interaction and contribute to signal transduction through its intracellular domain. Assembled with KCNB1 modulates the gating characteristics of the delayed rectifier voltage-dependent potassium channel KCNB1.
Cellular Location	Cell membrane {ECO:0000250|UniProtKB:Q80ZD8}; Single-pass type I membrane protein {ECO:0000250|UniProtKB:Q80ZD8} Perikaryon {ECO:0000250|UniProtKB:Q80ZD8}. Cell projection, dendrite {ECO:0000250|UniProtKB:Q80ZD8}. Cell projection, axon {ECO:0000250|UniProtKB:Q80ZD7}. Note=Colocalizes with KCNB1 at high-density somatodendritic clusters on the surface of hippocampal and cortical neurons. Associated with axons of neuronal cells {ECO:0000250|UniProtKB:Q80ZD7, ECO:0000250|UniProtKB:Q80ZD8}


Background

AMIGO1 promotes growth and fasciculation of neurites from cultured hippocampal neurons. May be involved in fasciculation as well as myelination of developing neural axons. May have a role in regeneration as well as neural plasticity in the adult nervous system. May mediate homophilic as well as heterophilic cell-cell interaction and contribute to signal transduction through its intracellular domain (By similarity).

References

Kottgen, A., et al. Nat. Genet. 42(5):376-384(2010)
Lamesch, P., et al. Genomics 89(3):307-315(2007)
Kuja-Panula, J., et al. J. Cell Biol. 160(6):963-973(2003)

Images



AMIGO1 Antibody (C-term) (Cat. #AP13681b) western blot analysis in HepG2 cell line lysates (35ug/lane).This demonstrates the AMIGO1 antibody detected the AMIGO1 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.