

# PYGB Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP13699a

#### **Product Information**

**Application** WB, E **Primary Accession** P11216 **Other Accession** NP 002853.2 Reactivity Mouse Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB33623 **Calculated MW** 96696 1-30 **Antigen Region** 

#### **Additional Information**

**Gene ID** 5834

Other Names Glycogen phosphorylase, brain form, PYGB

Target/Specificity This PYGB antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 1-30 amino acids from the N-terminal

region of human PYGB.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** PYGB Antibody (N-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

#### **Protein Information**

Name PYGB {ECO:0000303 | PubMed:3346228}

**Function** Glycogen phosphorylase that regulates glycogen mobilization

(PubMed:<u>27402852</u>). Phosphorylase is an important allosteric enzyme in carbohydrate metabolism (PubMed:<u>3346228</u>). Enzymes from different sources differ in their regulatory mechanisms and in their natural substrates

(PubMed:<u>3346228</u>). However, all known phosphorylases share catalytic and structural properties (PubMed:<u>3346228</u>).


## **Background**

The protein encoded by this gene is a glycogen phosphorylase found predominantly in the brain. The encoded protein forms homodimers which can associate into homotetramers, the enzymatically active form of glycogen phosphorylase. The activity of this enzyme is positively regulated by AMP and negatively regulated by ATP, ADP, and glucose-6-phosphate. This enzyme catalyzes the rate-determining step in glycogen degradation.

#### References

Pudil, R., et al. Clin. Chem. Lab. Med. 48(8):1193-1195(2010) Martins-de-Souza, D., et al. J Psychiatr Res (2010) In press: Yoshida, T., et al. Int. J. Mol. Med. 25(4):649-656(2010) Oguri, M., et al. Am. J. Hypertens. 23(1):70-77(2010) Chapuis, J., et al. Mol. Psychiatry 14(11):1004-1016(2009)

### **Images**



PYGB Antibody (N-term) (Cat. #AP13699a) western blot analysis in mouse heart tissue lysates (35ug/lane). This demonstrates the PYGB antibody detected the PYGB protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.