

# ANKS6 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP13973c

## **Product Information**

Application	WB, E
Primary Accession	<u>Q68DC2</u>
Other Accession	<u>NP_775822.3</u>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB32933
Calculated MW	92219
Antigen Region	505-534

## **Additional Information**

Gene ID	203286
Other Names	Ankyrin repeat and SAM domain-containing protein 6, Ankyrin repeat domain-containing protein 14, SamCystin, Sterile alpha motif domain-containing protein 6, SAM domain-containing protein 6, ANKS6, ANKRD14, PKDR1, SAMD6
Target/Specificity	This ANKS6 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 505-534 amino acids from the Central region of human ANKS6.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	ANKS6 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

### **Protein Information**

Name	ANKS6
Synonyms	ANKRD14, PKDR1, SAMD6

Function

**Cellular Location** 

Required for renal function.

Cell projection, cilium {ECO:0000250|UniProtKB:Q6GQX6}. Cytoplasm {ECO:0000250|UniProtKB:P0C0T2}. Note=Localizes to the proximal region of the primary cilium in the presence of INVS {ECO:0000250|UniProtKB:Q6GQX6}


## Background

ANKS6 is required for renal function (By similarity).


## References

Vieira, A.R., et al. Genet. Med. 10(9):668-674(2008) Kaisaki, P.J., et al. Eur J Med Genet 51(4):325-331(2008) Humphray, S.J., et al. Nature 429(6990):369-374(2004)

#### Images



Anti-ANKS6 Antibody (Center) at 1:1000 dilution + K562 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 92 kDa Blocking/Dilution buffer: 5% NFDM/TBST.



ANKS6 Antibody (Center) (Cat. #AP13973c) western blot analysis in T47D cell line lysates (35ug/lane).This demonstrates the ANKS6 antibody detected the ANKS6 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.