

# OR8K1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP13997b

#### **Product Information**

Application WB, E
Primary Accession Q8NGG5

Other Accession NP\_001002907.1

Reactivity
Human
Rabbit
Clonality
Polyclonal
Isotype
Rabbit IgG
Clone Names
RB33819
Calculated MW
36581
Antigen Region
Ruman
Rabbit
Rabbit
Rabbit IgG
RB33819
286-314

### **Additional Information**

**Gene ID** 390157

Other Names Olfactory receptor 8K1, Olfactory receptor OR11-182, OR8K1

Target/Specificity This OR8K1 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 286-314 amino acids from the

C-terminal region of human OR8K1.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** OR8K1 Antibody (C-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

#### **Protein Information**

Name OR8K1

**Function** Odorant receptor.

**Cellular Location** Cell membrane; Multi-pass membrane protein.


## **Background**

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

#### References

Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004) Fuchs, T., et al. Genomics 80(3):295-302(2002)

## **Images**



OR8K1 Antibody (C-term) (Cat. #AP13997b) western blot analysis in MDA-MB435 cell line lysates (35ug/lane). This demonstrates the OR8K1 antibody detected the OR8K1 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.