

DPPA4 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP1438a

Product Information

Application WB, IHC-P, E **Primary Accession Q7L190** Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB13363 **Calculated MW** 33541 **Antigen Region** 50-79

Additional Information

Gene ID 55211

Other Names Developmental pluripotency-associated protein 4, DPPA4

Target/Specificity This DPPA4 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 50-79 amino acids from the N-terminal

region of human DPPA4.

Dilution WB~~1:2000 IHC-P~~1:100~500 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions DPPA4 Antibody (N-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name DPPA4

Function May be involved in the maintenance of active epigenetic status of target

genes. May inhibit differentiation of embryonic cells into a primitive ectoderm

lineage.

Cellular Location Nucleus {ECO:0000250 | UniProtKB:Q8CCG4}. Note=Associated with


Background

DppA4 is a member of the Dppa family of developmental pluripotency associated transcription factors. Dppa4 is a target of Oct4, Sox2 and Nanog. It may play a role in maintaining cell pluripotentiality.


References

Bortvin, A., Development 130 (8), 1673-1680 (2003

Images



Western blot analysis of DPPA4 Antibody (N-term) (Cat. #AP1438a) in CEM cell line lysates (35ug/lane). DPPA4 (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human testis tissue reacted with DPPA4 antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.