

Mouse Dyrk1b Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14617c

Product Information

Application WB, E
Primary Accession Q9Z188

Reactivity Mouse **Predicted** Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB34757 69178 Calculated MW **Antigen Region** 376-403

Additional Information

Gene ID 13549

Other Names Dual specificity tyrosine-phosphorylation-regulated kinase 1B, Dyrk1b

Target/Specificity This Mouse Dyrk1b antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 376-403 amino acids from the Central

region of mouse Dyrk1b.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions Mouse Dyrk1b Antibody (Center) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name Dyrk1b

Function Dual-specificity kinase which possesses both serine/threonine and tyrosine

kinase activities (PubMed: 12633499). Plays an essential role in ribosomal DNA

(rDNA) double-strand break repair and rDNA copy number maintenance.

During DNA damage, mediates transcription silencing in part via phosphorylating and enforcing DSB accumulation of the histone methyltransferase EHMT2. Enhances the transcriptional activity of TCF1/HNF1A and FOXO1. Inhibits epithelial cell migration. Mediates colon carcinoma cell survival in mitogen-poor environments. Inhibits the SHH and WNT1 pathways, thereby enhancing adipogenesis. In addition, promotes expression of the gluconeogenic enzyme glucose-6-phosphatase catalytic subunit 1 (G6PC1).

Cellular Location Nucleus {ECO:0000250 | UniProtKB:Q9Y463}. Nucleus, nucleolus

{ECO:0000250 | UniProtKB:Q9Y463}. Chromosome

{ECO:0000250 | UniProtKB:Q9Y463}. Note=Localizes to sites of double- strand breaks (DSBs) following DNA damage {ECO:0000250 | UniProtKB:Q9Y463}

Tissue Location Isoform 1 and isoform 2 are broadly expressed. Isoform 3 seems specific for

skeletal muscle (at protein level)


Background

Dual-specificity kinase which possesses both serine/ threonine and tyrosine kinase activity. Enhances the transcriptional activity of TCF1/HNF1A and FOXO1. Inhibits epithelial cell migration. Mediates colon carcinoma cell survival in mitogen-poor environments.

References

Janumyan, Y., et al. J. Biol. Chem. 283(49):34108-34120(2008) Munton, R.P., et al. Mol. Cell Proteomics 6(2):283-293(2007) Mercer, S.E., et al. J. Biol. Chem. 280(27):25788-25801(2005) Collins, M.O., et al. J. Biol. Chem. 280(7):5972-5982(2005) Deng, X., et al. J. Biol. Chem. 280(6):4894-4905(2005)

Images



Mouse Dyrk1b Antibody (Center) (Cat. #AP14617c) western blot analysis in mouse lung tissue lysates (35ug/lane). This demonstrates the Dyrk1b antibody detected the Dyrk1b protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.