

CLPTM1L Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP16233b

Product Information

Application WB, E **Primary Accession Q96KA5** Other Accession NP 110409.2 Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB30326 Calculated MW 62229 370-399 **Antigen Region**

Additional Information

Gene ID 81037

Other Names Cleft lip and palate transmembrane protein 1-like protein, CLPTM1-like

protein, Cisplatin resistance-related protein 9, CRR9p, CLPTM1L, CRR9

Target/Specificity This CLPTM1L antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 370-399 amino acids from the

C-terminal region of human CLPTM1L.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions CLPTM1L Antibody (C-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name CLPTM1L

Synonyms CRR9

Function Scramblase that mediates the translocation of

glucosaminylphosphatidylinositol (alpha-D-GlcN-(1-6)-(1,2-diacyl-sn-glycero-3-phospho)-1D-myo-inositol, GlcN-PI) across the endoplasmic reticulum (ER) membrane, from the cytosolic leaflet to the luminal leaflet of the ER membrane, where it participates in the biosynthesis of glycosylphosphatidylinositol (GPI) (PubMed:35344438). GPI is a lipid glycoconjugate involved in post-translational modification of proteins (PubMed:35344438). Can also translocate 1,2-diacyl-sn-glycero-3-phospho-(1D-myo-inositol) (phosphatidylinositol or PI), as well as several other phospholipids (1,2-diacyl-sn-glycero-3-phosphocholine, 1,2-diacyl-sn-glycero-3-phosphoethanolamine), and N-acetylglucosaminylphosphatidylinositol (GlcNAc-PI) in vitro (PubMed:35344438).

Cellular Location Endoplasmic reticulum membrane; Multi-pass membrane protein

Tissue Location Ubiquitously expressed.


Background

CLPTM1L enhances cisplatin-mediated apoptosis, when overexpressed.

References

Liu, Z., et al. Carcinogenesis 31(11):1977-1981(2010) Hsiung, C.A., et al. PLoS Genet. 6 (8) (2010): Truong, T., et al. J. Natl. Cancer Inst. 102(13):959-971(2010) Pooley, K.A., et al. Cancer Epidemiol. Biomarkers Prev. 19(7):1862-1865(2010) Turnbull, C., et al. Nat. Genet. 42(7):604-607(2010)

Images



CLPTM1L Antibody (C-term) (Cat. #AP16233b) western blot analysis in A549 cell line lysates (35ug/lane). This demonstrates the CLPTM1L antibody detected the CLPTM1L protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.