

# RAD52 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP16470b

#### **Product Information**

**Application** WB, E **Primary Accession** P43351 **Other Accession** NP 602296.2 Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB33906 **Calculated MW** 46169 387-416 **Antigen Region** 

#### **Additional Information**

**Gene ID** 5893

Other Names DNA repair protein RAD52 homolog, RAD52

Target/Specificity This RAD52 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 387-416 amino acids from the

C-terminal region of human RAD52.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** RAD52 Antibody (C-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

#### **Protein Information**

Name RAD52

**Function** Involved in double-stranded break repair. Plays a central role in genetic

recombination and DNA repair by promoting the annealing of complementary

single-stranded DNA and by stimulation of the RAD51 recombinase.


## **Background**

The protein encoded by this gene shares similarity with Saccharomyces cerevisiae Rad52, a protein important for DNA double-strand break repair and homologous recombination. This gene product was shown to bind single-stranded DNA ends, and mediate the DNA-DNA interaction necessary for the annealing of complementary DNA strands. It was also found to interact with DNA recombination protein RAD51, which suggested its role in RAD51 related DNA recombination and repair.

#### References

Liu, Y., et al. Carcinogenesis 31(10):1762-1769(2010) Ho-Pun-Cheung, A., et al. Pharmacogenomics J. (2010) In press: Briggs, F.B., et al. Am. J. Epidemiol. 172(2):217-224(2010) Liu, C.Y., et al. Carcinogenesis 31(7):1259-1263(2010) Monsees, G.M., et al. Breast Cancer Res. Treat. (2010) In press:

### **Images**



RAD52 Antibody (C-term) (Cat. #AP16470b) western blot analysis in NCI-H292 cell line lysates (35ug/lane). This demonstrates the RAD52 antibody detected the RAD52 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.