

NKIRAS2 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP16523c

Product Information

Application	WB, E
Primary Accession	Q9NYR9
Other Accession	Q32NS2 , Q9CR56 , Q5ZJW6 , NP_060065.2
Reactivity	Human
Predicted	Chicken, Mouse, Xenopus
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB36021
Calculated MW	21508
Antigen Region	36-64

Additional Information

Gene ID	28511
Other Names	NF-kappa-B inhibitor-interacting Ras-like protein 2, I-kappa-B-interacting Ras-like protein 2, Kappa B-Ras protein 2, KappaB-Ras2, NKIRAS2, KBRAS2
Target/Specificity	This NKIRAS2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 36-64 amino acids from the Central region of human NKIRAS2.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	NKIRAS2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	NKIRAS2
Synonyms	KBRAS2

Function	Atypical Ras-like protein that acts as a potent regulator of NF-kappa-B activity by preventing the degradation of NF-kappa-B inhibitor beta (NFKBIB) by most signals, explaining why NFKBIB is more resistant to degradation. May act by blocking phosphorylation of NFKBIB and nuclear localization of p65/RELA NF-kappa-B subunit. It is unclear whether it acts as a GTPase. Both GTP- and GDP-bound forms block phosphorylation of NFKBIB (By similarity).
Cellular Location	Cytoplasm.
Tissue Location	Widely expressed..


Background

Atypical Ras-like protein that acts as a potent regulator of NF-kappa-B activity by preventing the degradation of NF-kappa-B inhibitor beta (NFKBIB) by most signals, explaining why NFKBIB is more resistant to degradation. May act by blocking phosphorylation of NFKBIB and nuclear localization of p65/RELA NF-kappa-B subunit. It is unclear whether it acts as a GTPase. Both GTP- and GDP-bound forms block phosphorylation of NFKBIB (By similarity).

References

Tago, K., et al. J. Biol. Chem. 285(40):30622-30633(2010)
 Dieguez-Gonzalez, R., et al. Ann. Rheum. Dis. 68(4):579-583(2009)
 Fenwick, C., et al. Science 287(5454):869-873(2000)

Images



NKIRAS2 Antibody (Center) (Cat. #AP16523c) western blot analysis in U937 cell line lysates (35ug/lane). This demonstrates the NKIRAS2 antibody detected the NKIRAS2 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.