

# PPME1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17289b

#### **Product Information**

Application WB, E
Primary Accession Q9Y570

Other Accession O4FZT2, O8BVO5, O58DN4, NP 057231.1

Reactivity Human

**Predicted** Bovine, Mouse, Rat

HostRabbitClonalityPolyclonalIsotypeRabbit IgGClone NamesRB36541Calculated MW42315Antigen Region351-379

## **Additional Information**

**Gene ID** 51400

Other Names Protein phosphatase methylesterase 1, PME-1, PPME1, PME1

Target/Specificity This PPME1 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 351-379 amino acids from the

C-terminal region of human PPME1.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** PPME1 Antibody (C-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name PPME1

Synonyms PME1

**Function** Demethylates proteins that have been reversibly carboxymethylated.

Demethylates PPP2CB (in vitro) and PPP2CA. Binding to PPP2CA displaces the manganese ion and inactivates the enzyme.


# **Background**

Protein phosphatase methylesterase-1 catalyzes the demethylation of the protein phosphatase-2A catalytic subunit (PPP2CA; MIM 176915) (Ogris et al., 1999 [PubMed 10318862]).


#### References

Puustinen, P., et al. Cancer Res. 69(7):2870-2877(2009) Longin, S., et al. Exp. Cell Res. 314(1):68-81(2008) Gevaert, K., et al. Nat. Biotechnol. 21(5):566-569(2003) Ogris, E., et al. J. Biol. Chem. 274(20):14382-14391(1999)

### **Images**



PPME1 Antibody (C-term) (Cat. #AP17289b) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the PPME1 antibody detected the PPME1 protein (arrow).



Western blot analysis of PPME1 (arrow) using rabbit polyclonal PPME1 Antibody (C-term) (Cat. #AP17289b). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the PPME1 gene.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.