

AADACL2 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17376C

Product Information

Application Primary Accession	WB, E <u>Q6P093</u>
Other Accession	<u>NP_997248.2</u>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB37919
Calculated MW	46099
Antigen Region	156-182

Additional Information

Gene ID	344752
Other Names	Arylacetamide deacetylase-like 2, 311-, AADACL2
Target/Specificity	This AADACL2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 156-182 amino acids from the Central region of human AADACL2.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	AADACL2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	AADACL2
Cellular Location	Secreted.


Background

AADACL2 has hydrolase activity and is involved in drug metabolism.


References

Lamesch, P., et al. Genomics 89(3):307-315(2007) Toulza, E., et al. Genome Biol. 8 (6), R107 (2007) :

Images



All lanes : Anti-AADACL2 Antibody (Center) at 1:2000 dilution Lane 1: Human heart lysate Lane 2: Human kidney lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 46 kDa Blocking/Dilution buffer: 5% NFDM/TBST.



AADACL2 Antibody (Center) (Cat. #AP17376c) western blot analysis in HepG2 cell line lysates (35ug/lane).This demonstrates the AADACL2 antibody detected the AADACL2 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.