

HECTD3 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17451b

Product Information

Application WB, E **Primary Accession** Q5T447 **Other Accession** NP 078878.3 Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB37186 **Calculated MW** 97113 740-769 **Antigen Region**

Additional Information

Gene ID 79654

Other Names E3 ubiquitin-protein ligase HECTD3, 632-, HECT domain-containing protein 3,

HECTD3

Target/Specificity This HECTD3 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 740-769 amino acids from the

C-terminal region of human HECTD3.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions HECTD3 Antibody (C-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name HECTD3

Function E3 ubiquitin ligases accepts ubiquitin from an E2 ubiquitin- conjugating

enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates. Mediates ubiquitination of TRIOBP and its subsequent

proteasomal degradation, thus facilitating cell cycle progression by regulating the turn-over of TRIOBP. Mediates also ubiquitination of STX8 (By similarity).

Cellular Location

Cytoplasm, perinuclear region.


Background

E3 ubiquitin ligases accepts ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates. Mediates ubiquitination of TRIOBP and its subsequent proteasomal degradation, thus faciliting cell cycle progression by regulating the turn-over of TRIOBP. Mediates also ubiquitination of STX8 (By similarity).

References

Yu, J., et al. Biochem. Biophys. Res. Commun. 367(4):805-812(2008) Gevaert, K., et al. Nat. Biotechnol. 21(5):566-569(2003)

Images



HECTD3 Antibody (C-term) (Cat. #AP17451b) western blot analysis in A549 cell line lysates (35ug/lane). This demonstrates the HECTD3 antibody detected the HECTD3 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.