

HHIP Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP18055A

Product Information

Application WB, E
Primary Accession Q96QV1

Other Accession Q7TN16, NP 071920.1

Reactivity Human **Predicted** Mouse Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB34237 **Calculated MW** 78851 **Antigen Region** 25-54

Additional Information

Gene ID 64399

Other Names Hedgehog-interacting protein, HHIP, HIP, HHIP, HIP

Target/Specificity This HHIP antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 25-54 amino acids from the N-terminal

region of human HHIP.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions HHIP Antibody (N-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

Protein Information

Name HHIP

Synonyms HIP

Function Modulates hedgehog signaling in several cell types including brain and lung

through direct interaction with members of the hedgehog family.

Cellular Location Cell membrane; Peripheral membrane protein. Secreted. Note=The last 22 C-

terminal amino acids may participate in cell membrane attachment

Tissue Location Widely expressed in fetal and adult tissues. Highest expression in adult heart,

liver and pancreas, and in fetal kidney. {ECO:0000269|PubMed:11435703,

ECO:0000269 | Ref.1}


Background

This gene encodes a protein similar to the mouse hedgehog-interacting protein, a regulatory component of the hedgehog signalling pathway. Members of the hedgehog family are evolutionarily conserved proteins which are involved in many fundamental processes in embryonic development, including anteroposterior patterns of limbs and regulation of left-right asymmetry.

References

Pillai, S.G., et al. Am. J. Respir. Crit. Care Med. (2010) In press: Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010): Liu, J.Z., et al. Twin Res Hum Genet 13(2):179-193(2010) Cho, M.H., et al. Nat. Genet. 42(3):200-202(2010) Zhao, J., et al. BMC Med. Genet. 11, 96 (2010):

Images



HHIP Antibody (N-term) (Cat. #AP18055a) western blot analysis in A549 cell line lysates (35ug/lane). This demonstrates the HHIP antibody detected the HHIP protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.