10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

OR1C1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18424b

Product Information

Application	WB, E
Primary Accession	Q15619
Other Accession	NP_036485.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB38533
Calculated MW	35042
Antigen Region	278-303

Additional Information

Gene ID	26188
Other Names	Olfactory receptor 1C1, Olfactory receptor OR1-42, Olfactory receptor TPCR27, OR1C1
Target/Specificity	This OR1C1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 278-303 amino acids from the C-terminal region of human OR1C1.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	OR1C1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	OR1C1
Function	Odorant receptor.
Cellular Location	Cell membrane; Multi-pass membrane protein.


Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

References

Menashe, I., et al. BMC Bioinformatics 7, 393 (2006) :
Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)
Fuchs, T., et al. Genomics 80(3):295-302(2002)
Vanderhaeghen, P., et al. Genomics 39(3):239-246(1997)

Images



OR1C1 Antibody (C-term) (Cat. #AP18424b) western blot analysis in Jurkat cell line lysates (35ug/lane).This demonstrates the OR1C1 Antibody detected the OR1C1 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.