10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

OR6B2 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP19297b

Product Information

Application	WB, E
Primary Accession	Q6IFH4
Other Accession	NP_001005853.1
Reactivity	Human
Predicted	Mouse, Rat, Rabbit
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB39853
Calculated MW	35029
Antigen Region	278-304

Additional Information

Gene ID	389090
Other Names	Olfactory receptor 6B2, Olfactory receptor OR2-1, OR6B2, OR6B2P
Target/Specificity	This OR6B2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 278-304 amino acids from the C-terminal region of human OR6B2.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	OR6B2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	OR6B2
Synonyms	OR6B2P
Function	Odorant receptor.

Cellular Location Cell membrane; Multi-pass membrane protein.


Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

References

Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)

Images



OR6B2 Antibody (C-term)(Cat. #AP19297b) western blot analysis in Hela cell line lysates (35ug/lane).This demonstrates the OR6B2 antibody detected the OR6B2 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.