10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CLIC6 Antibody(C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP19553b

Product Information

Application	WB, E
Primary Accession	Q96NY7
Other Accession	Q9N2G5, NP_444507.1
Reactivity	Human
Predicted	Rabbit, Mouse, Rat, Bovine, Canine, Chicken
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB40836
Calculated MW	73012
Antigen Region	676-704

Additional Information

Gene ID	54102
Other Names	Chloride intracellular channel protein 6, Parchorin, CLIC6, CLIC1L
Target/Specificity	This CLIC6 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 676-704 amino acids from the C-terminal region of human CLIC6.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	CLIC6 Antibody(C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	CLIC6 {ECO:0000303|PubMed:37838179, ECO:0000312|HGNC:HGNC:2065}
Function	In the soluble state, catalyzes glutaredoxin-like thiol disulfide exchange reactions with reduced glutathione as electron donor (By similarity). Can insert into membranes and form voltage-dependent chloride-selective

	channels. The channel opens upon membrane depolarization at positive voltages and closes at negative membrane voltages (PubMed:37838179). May play a critical role in water-secreting cells, possibly through the regulation of chloride ion transport (By similarity).
Cellular Location	Cytoplasm. Cell membrane; Single-pass membrane protein Note=Predominantly cytoplasmic. Upon chloride ion efflux from the cell, it is translocated to the plasma membrane (By similarity)
Tissue Location	Expressed in brain, placenta, pancreas, liver, lung, heart, kidney, liver, spleen, soleus muscle, and brown fat


Background

This gene encodes a member of the chloride intracellular channel family of proteins. The gene is part of a large triplicated region found on chromosomes 1, 6, and 21. An alternatively spliced transcript variant has been described, but its biological validity has not been determined.

References

Wheeler, H.E., et al. PLoS Genet. 5 (10), E1000685 (2009) :
Friedli, M., et al. Gene 320, 31-40 (2003) :
Strippoli, P., et al. Mamm. Genome 13(8):456-462(2002)
Scanlan, M.J., et al. Cancer Immun. 1, 4 (2001) :

Images



CLIC6 Antibody (C-term) (Cat. #AP19553b) western blot analysis in 293 cell line lysates (35ug/lane).This demonstrates the CLIC6 antibody detected the CLIC6 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.