

# M Tcfap2d Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20493b

### **Product Information**

ApplicationWB, EPrimary AccessionQ91ZK0Other AccessionQ7Z6R9

**Reactivity** Human, Mouse

Predicted Human
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 49548
Antigen Region 308-335

## **Additional Information**

**Gene ID** 226896

Other Names Transcription factor AP-2-delta, AP2-delta, Activating enhancer-binding

protein 2-delta, Tfap2d, Tcfap2d

**Target/Specificity**This Mouse Tcfap2d antibody is generated from rabbits immunized with a

KLH conjugated synthetic peptide between 308-335 amino acids from the

C-terminal region of mouse Tcfap2d.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** M Tcfap2d Antibody (C-term) is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name Tfap2d

Synonyms Tcfap2d

**Function** Sequence-specific DNA-binding protein that interacts with inducible viral

and cellular enhancer elements to regulate transcription of selected genes. AP-2 factors bind to the consensus sequence 5'-GCCNNNGGC-3' and activate genes involved in a large spectrum of important biological functions including proper eye, face, body wall, limb and neural tube development. They also suppress a number of genes including MCAM/MUC18, C/EBP alpha and MYC.

Cellular Location Nucleus.

**Tissue Location** Expressed in both embryonic and newborn brain.


# **Background**

Sequence-specific DNA-binding protein that interacts with inducible viral and cellular enhancer elements to regulate transcription of selected genes. AP-2 factors bind to the consensus sequence 5'-GCCNNNGGC-3' and activate genes involved in a large spectrum of important biological functions including proper eye, face, body wall, limb and neural tube development. They also suppress a number of genes including MCAM/MUC18, C/EBP alpha and MYC.

#### References

Zhao F., et al. J. Biol. Chem. 276:40755-40760(2001). Zhao F., et al. Gene Expr. Patterns 3:213-217(2003).

# **Images**



Mouse Tcfap2d Antibody (C-term) (Cat. #AP20493b) western blot analysis in mouse heart tissue lysates (35ug/lane). This demonstrates the Mouse Tcfap2d antibody detected the Mouse Tcfap2d protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.