

ST7L Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP20500b

Product Information

Application	WB, E
Primary Accession	Q8TDW4
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	64779
Antigen Region	542-569

Additional Information

Gene ID	54879
Other Names	Suppressor of tumorigenicity 7 protein-like, ST7-related protein, ST7L, ST7R
Target/Specificity	This ST7L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 542-569 amino acids from the C-terminal region of human ST7L.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.05% (V/V) Proclin 300. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	ST7L Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	ST7L
Synonyms	ST7R
Cellular Location	Membrane; Multi-pass membrane protein

References

Katoh M., et al. Int. J. Oncol. 20:1247-1253(2002).


Ota T., et al. Nat. Genet. 36:40-45(2004).

Bechtel S., et al. BMC Genomics 8:399-399(2007).

Gregory S.G., et al. Nature 441:315-321(2006).

Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.

Images



All lanes: Anti-ST7L Antibody (C-term) at 1:2000 dilution

Lane 1: Hela whole cell lysate Lane 2: MCF-7 whole cell lysate Lane 3: U-251 MG whole cell lysate Lane 4: Mouse brain lysate Lysates/proteins at 20 µg per lane.

Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 65 KDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.