

# NDUFS7 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20502c

#### **Product Information**

**Application** WB, E **Primary Accession** 075251

Other AccessionQ9DC70, P42026ReactivityHuman, Mouse

Predicted Bovine
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 23564
Antigen Region 119-146

#### **Additional Information**

**Gene ID** 374291

Other Names NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial,

Complex I-20kD, CI-20kD, NADH-ubiquinone oxidoreductase 20 kDa subunit,

PSST subunit, NDUFS7

Target/Specificity This NDUFS7 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 119-146 amino acids from the Central

region of human NDUFS7.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** NDUFS7 Antibody (Center) is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name NDUFS7

**Function** Core subunit of the mitochondrial membrane respiratory chain NADH

dehydrogenase (Complex I) which catalyzes electron transfer from NADH

through the respiratory chain, using ubiquinone as an electron acceptor (PubMed: 17275378). Essential for the catalytic activity of complex I (PubMed: 17275378).

**Cellular Location** 

Mitochondrion inner membrane; Peripheral membrane protein {ECO:0000250 | UniProtKB:P42026}; Matrix side {ECO:0000250 | UniProtKB:P42026}


## **Background**

Core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I) that is believed to belong to the minimal assembly required for catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone (By similarity).

#### References

Hyslop S.J., et al. Genomics 37:375-380(1996). Grimwood J., et al. Nature 428:529-535(2004). Murray J., et al. J. Biol. Chem. 278:13619-13622(2003). Burkard T.R., et al. BMC Syst. Biol. 5:17-17(2011). Triepels R.H., et al. Ann. Neurol. 45:787-790(1999).

### **Images**



NDUFS7 Antibody (Center) (Cat. #AP20502c) western blot analysis in Hela cell line and mouse cerebellum,heart tissue lysates (35ug/lane). This demonstrates the NDUFS7 antibody detected the NDUFS7 protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.