

# NDUFV3 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP20688c

## Product Information

---

Application	WB, E
Primary Accession	<a href="#">P56181</a>
Reactivity	Human, Rat, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB46873
Calculated MW	11941

## Additional Information

---

Gene ID	4731
Other Names	NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial, Complex I-9kD, CI-9kD, NADH-ubiquinone oxidoreductase 9 kDa subunit, Renal carcinoma antigen NY-REN-4, NDUFV3
Target/Specificity	This NDUFV3 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 94-128 amino acids from the C-terminal region of human NDUFV3.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	NDUFV3 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---

Name	NDUFV3
Function	Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be

ubiquinone. May be the terminally assembled subunit of Complex I.

## Cellular Location

Mitochondrion inner membrane; Peripheral membrane protein; Matrix side

## Background

---

Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.


## References

---

de Coo R.F.M.,et al.Genomics 45:434-437(1997).  
Berry A.,et al.Genomics 68:22-29(2000).  
Halleck A.,et al.Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.  
Ota T.,et al.Nat. Genet. 36:40-45(2004).  
Hattori M.,et al.Nature 405:311-319(2000).

## Images

---



Western blot analysis of lysate from human heart tissue lysate, using NDUFV3 Antibody (C-term)(Cat. #AP20688c). AP20688c was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.