

HUMAN-GAB1(Y259) Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20723b

Product Information

Application WB, E **Primary Accession** Q13480 Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB47324 **Calculated MW** 76616

Additional Information

Gene ID 2549

Other Names GRB2-associated-binding protein 1, GRB2-associated binder 1, Growth factor

receptor bound protein 2-associated protein 1, GAB1

Target/SpecificityThis antibody is generated from a rabbit immunized with a KLH conjugated

synthetic peptide between 250-285 amino acids from human.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions HUMAN-GAB1(Y259) Antibody is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name GAB1

Function Adapter protein that plays a role in intracellular signaling cascades triggered

by activated receptor-type kinases. Plays a role in FGFR1 signaling. Probably involved in signaling by the epidermal growth factor receptor (EGFR) and the

insulin receptor (INSR). Involved in the MET/HGF-signaling pathway

(PubMed: 29408807).


Background

Adapter protein that plays a role in intracellular signaling cascades triggered by activated receptor-type kinases. Plays a role in FGFR1 signaling. Probably involved in signaling by the epidermal growth factor receptor (EGFR) and the insulin receptor (INSR).

References

Holgado-Madruga M., et al. Nature 379:560-564(1996).
Ota T., et al. Nat. Genet. 36:40-45(2004).
Hillier L.W., et al. Nature 434:724-731(2005).
Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
Brdicka T., et al. J. Exp. Med. 196:1617-1626(2002).

Images



Western blot analysis of lysates from 293, HUVEC, T47D cell line (from left to right), using HUMAN-GAB1(Y259) (Cat. #AP20723b). AP20723b was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysates at 35ug per lane.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.