

PHB Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP20757a

Product Information

Application	WB, E
Primary Accession	P35232
Reactivity	Human, Rat, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB49680
Calculated MW	29804

Additional Information

Gene ID	5245
Other Names	Prohibitin, PHB
Target/Specificity	This PHB antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 73-107 amino acids from the N-terminal region of human PHB.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	PHB Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	PHB1 {ECO:0000303 PubMed:28017329, ECO:0000312 HGNC:HGNC:8912}
Function	Protein with pleiotropic attributes mediated in a cell- compartment- and tissue-specific manner, which include the plasma membrane-associated cell signaling functions, mitochondrial chaperone, and transcriptional co-regulator of transcription factors in the nucleus (PubMed: 11302691 , PubMed: 20959514 , PubMed: 28017329 , PubMed: 31522117). Plays a role in adipose tissue and glucose homeostasis in a sex-specific manner (By

similarity). Contributes to pulmonary vascular remodeling by accelerating proliferation of pulmonary arterial smooth muscle cells (By similarity).

Cellular Location	Mitochondrion inner membrane. Nucleus. Cytoplasm. Cell membrane
Tissue Location	Widely expressed in different tissues.


Background

Prohibitin inhibits DNA synthesis. It has a role in regulating proliferation. As yet it is unclear if the protein or the mRNA exhibits this effect. May play a role in regulating mitochondrial respiration activity and in aging.

References

Sato T.,et al.Cancer Res. 52:1643-1646(1992).
Sato T.,et al.Genomics 17:762-764(1993).
Kalnina N.,et al.Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases.
Bienvenut W.V.,et al.Submitted (MAR-2005) to UniProtKB.
Lubec G.,et al.Submitted (DEC-2008) to UniProtKB.

Images



Western blot analysis of lysate from A431 cell line, using PHB Antibody (N-term)(Cat. #AP20757a). AP20757a was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.