

# NRBP2 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP21153a

## Product Information

---

Application	WB, E
Primary Accession	<a href="#">Q9NSY0</a>
Reactivity	Human, Mouse
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Clone Names	RB50918
Calculated MW	57803

## Additional Information

---

Gene ID	340371
Other Names	Nuclear receptor-binding protein 2, Transformation-related gene 16 protein, TRG-16, NRBP2 ( <a href="#">HGNC:19339</a> )
Target/Specificity	This NRBP2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 394-428 amino acids from the C-terminal region of human NRBP2.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.05% (V/V) Proclin 300. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	NRBP2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---

Name	NRBP2 ( <a href="#">HGNC:19339</a> )
Function	May regulate apoptosis of neural progenitor cells during their differentiation.
Cellular Location	Cytoplasm.

## Background

---

May regulate apoptosis of neural progenitor cells during their differentiation.

## References

---

Kim J.W.,et al.Submitted (APR-2003) to the EMBL/GenBank/DDBJ databases.

Ota T.,et al.Nat. Genet. 36:40-45(2004).


Wan D.,et al.Proc. Natl. Acad. Sci. U.S.A. 101:15724-15729(2004).

Bechtel S.,et al.BMC Genomics 8:399-399(2007).

Nusbaum C.,et al.Nature 439:331-335(2006).

## Images

---



All lanes: Anti-NRBP2 Antibody (C-term) at 1:500 dilution  
Lane 1: U-251 MG whole cell lysate Lane 2: Mouse liver lysate  
Lysates/proteins at 20 µg per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 60, 35 KDa  
Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.