

LMO7 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP21420b

Product Information

Application WB, E **Primary Accession Q8WWI1** Reactivity Human Host Rabbit Clonality polyclonal Isotype Rabbit IgG **Clone Names** RB52642 Calculated MW 192696

Additional Information

Gene ID 4008

Other Names LIM domain only protein 7, LMO-7, F-box only protein 20, LOMP, LMO7,

FBX20, FBXO20, KIAA0858

Target/Specificity This LMO7 antibody is generated from a rabbit immunized with a KLH

conjugated synthetic peptide between 1407-1440 amino acids from the

C-terminal region of human LMO7.

Dilution WB~~1:8000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions LMO7 Antibody (C-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

Protein Information

Name LMO7

Synonyms FBX20, FBXO20, KIAA0858


Tissue Location Widely expressed. Isoform 2 and isoform 4 are predominantly expressed in

brain.

References

Rozenblum E.,et al.Hum. Genet. 110:111-121(2002). Dunham A.,et al.Nature 428:522-528(2004). Nagase T.,et al.DNA Res. 5:355-364(1998). Nakajima D.,et al.DNA Res. 9:99-106(2002). Cenciarelli C.,et al.Curr. Biol. 9:1177-1179(1999).

Images



All lanes: Anti-LMO7 Antibody (C-term) at 1:8000 dilution Lane 1: Hela whole cell lysates Lane 2: A549 whole cell lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution Predicted band size: 193 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.