10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CDKL3 Antibody (N-Term)

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP21587a

Product Information

Application	WB, E
Primary Accession	Q8IVW4
Reactivity	Human, Rat, Mouse
Predicted	Bovine, Canine, Rabbit
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Clone Names	RB53039
Calculated MW	67514

Additional Information

Gene ID	51265
Other Names	Cyclin-dependent kinase-like 3, Serine/threonine-protein kinase NKIAMRE, CDKL3, NKIAMRE
Target/Specificity	This CDKL3 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 2-34 amino acids from human CDKL3.
Dilution	WB~~1:2000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	CDKL3 Antibody (N-Term) is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	CDKL3 (HGNC:15483)
Cellular Location	Cytoplasm.

References

Midmer M.,et al.Submitted (FEB-1999) to the EMBL/GenBank/DDBJ databases.
Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
Greenman C.,et al.Nature 446:153-158(2007).

Images



All lanes : Anti-CDKL3 Antibody (N-Term) at 1:2000 dilution Lane 1: rat brain lysates Lane 2: Caki-1 whole cell lysates Lane 3: Hela whole cell lysates Lane 4: mouse testis lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 68 kDa. Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.