

# ZKSCAN5 Antibody (N-Term)

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP21786a

## Product Information

---

|                   |                        |
|-------------------|------------------------|
| Application       | WB, E                  |
| Primary Accession | <a href="#">Q9Y2L8</a> |
| Reactivity        | Human, Mouse           |
| Host              | Rabbit                 |
| Clonality         | polyclonal             |
| Isotype           | Rabbit IgG             |
| Clone Names       | RB53358                |
| Calculated MW     | 96903                  |

## Additional Information

---

|                    |  |
|--------------------|--|
| Gene ID            | 23660  |
| Other Names        | Zinc finger protein with KRAB and SCAN domains 5, Zinc finger protein 95 homolog, Zfp-95, ZKSCAN5, KIAA1015, ZFP95   |
| Target/Specificity | This ZKSCAN5 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 57-91 amino acids from human ZKSCAN5.                             |
| Dilution           | WB~~1:2000 E~~Use at an assay dependent concentration.   |
| Format             | Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification. |
| Storage            | Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.                                      |
| Precautions        | ZKSCAN5 Antibody (N-Term) is for research use only and not for use in diagnostic or therapeutic procedures.  |

## Protein Information

---

|                   |   |
|-------------------|---|
| Name              | ZKSCAN5   |
| Synonyms          | KIAA1015, ZFP95                                 |
| Function          | May be involved in transcriptional regulation.  |
| Cellular Location | Nucleus {ECO:0000255 PROSITE-ProRule:PRU00187}. |

## Background

---

May be involved in transcriptional regulation.

## References

---

Dreyer S.D.,et al.Genomics 62:119-122(1999).


Nagase T.,et al.DNA Res. 6:63-70(1999).

Scherer S.W.,et al.Science 300:767-772(2003).

Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.

## Images

---



Anti-ZKSCAN5 Antibody (N-Term) at 1:2000 dilution + CCRF-CEM whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 97 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.